

Coupling between exciton-polariton corner modes mediated through edge states

Banerjee Rimi, Mandal Subhaskar, Liew C.H. Timothy

Division of Physics and Applied Physics, School of Physical and Mathematical Sciences, Nanyang Technological University 637371, Singapore.

*e-mail: rimi001@e.ntu.edu.sg

In recent years there has been a surge of interest in using exciton-polaritons to realize first order topological bandstructures [1-2]. These topological states are well-isolated from disorder and so seem ideal candidates for preserving information. However, this also means that they are well-isolated from each other and so it is hard to imagine coupling together multiple topological states, which would likely be prerequisite for some information processing elements (e.g., two-input logic gates).

Here we consider theoretically the realization of a second order topological polariton bandstructure, which gives rise to zero-dimensional localized corner states in a polariton lattice (Fig. 1). Due to the topological nature, information can be trapped in the corner even in the presence of disorder. We show that in the presence of polariton-polariton scattering, polaritons can scatter from a pumped corner state into an edge state, which again scatter back to another adjacent corner. In this way, we find that as a nonlinear driven-dissipative system exciton-polaritons offer a unique opportunity for realizing spatially localized topological states that can be coupled together.




Fig. 1. (a) Schematic diagram of a square lattice formed by coupled exciton polariton micropillars with four different hopping J , $-J$, J' , and $-J'$ indicated by four colors. (b) Energy eigen-values of the system consisting of 50×50 micropillars, as a function of the quantum number n . The modes corresponding to $n=1249-1252$ are the corner states appearing at $E=0$, denoted by red. The bulk and edge states are shown in blue and green respectively.

References

- [1] Bardyn, et al., *Phys. Rev. B*, 2015, **91**, 161413(R).
- [2] Klembt, et al., *Nature*, 2018, **562**, 7728.