

ROOM TEMPERATURE ORGANIC EXCITON-POLARITON CONDENSATES IN TAILORED LANDSCAPES

Schneider, Christian¹, Dusel, Marco¹, Betzold, Simon¹, Egorov, Oleg³, Ohmer, Jürgen², Klemmt, Sebastian¹, Fischer, Utz², Höfling, Sven¹

¹Lehrstuhl für Technische Physik, Universität Würzburg, Am Hubland, 97074 Würzburg, Germany

²Department of Biochemistry, Universität Würzburg, Am Hubland, 97074 Würzburg, Germany.

³Institute of Condensed Matter Theory and Solid State Optics, Friedrich-Schiller Universität Jena, Germany

*e-mail: Christian.schneider@uni-wuerzburg.de

Interacting Bosonic condensates, loaded in periodic potentials have emerged as a prime system for on-chip quantum simulation, exploration of exotic quantum phases, and topological photonics. However, such experiments, which rely on a well-defined shaping of the potential landscape of the condensates, have been restricted to ultra-cold temperatures in atomic systems in laser traps, or cryogenic temperatures for exciton-polaritons in the mature GaAs platform. In our work, we present first experiments conducted on a condensate of exciton-polaritons in a lattice at ambient conditions. We utilize fluorescent proteins as an excitonic gain material, providing ultra-stable Frenkel excitons, and directly take advantage of their soft nature by mechanically shaping them in the photonic lattice environment.

I will discuss the following observations:

- The high quality of our device allows us to generate a close-to ideal bandstructure of the lattice, arranged by tightly bound polaritonic traps [1].
- The high structural quality of our material allows us to enter the regime of bosonic condensation at ambient condition in this lattice [1,2].
- Microscopic modelling allows us to establish the fundamental understanding about polaritonic non-linearities based on Frenkel-Excitons [2]
- By shaping the pump spot, we can load the condensate into distinct lattice modes and symmetries at will. This capability is a powerful tool for any sort of advanced experiments relying on collective transitions of coherent bosonic states.

References

[1] Dusel, Marco, et al. "Room temperature Organic Exciton-Polariton Condensate in a Lattice." *arXiv preprint arXiv:1907.05065* (2019).

[2] Betzold, Simon, et al. "Coherence and Interaction in confined room-temperature polariton condensates with Frenkel excitons." *arXiv preprint arXiv:1906.02509* (2019).